




# ASAHI BEARING FORGE DE CORP.



VA201



2Z/VA201



2Z/VA208



2Z/VA228

## High Temp Ball Bearing with Grease 6203-2z/Va201 for SKF High Temperature Bearing

Bearing No. 6203-2z/Va201

6203-2z/Va201 Bearing 2D drawings and 3D CAD models

Size	17x40x12 mm
Bore Diameter	17 mm
Outer Diameter	40 mm
Width	12 mm
d	17 mm
D	40 mm
B	12 mm
C	12 mm
d1	24,5 mm
r1 min.	0,6 mm
r2 min.	0,6 mm
D2	35 mm
Weight	0,065 Kg
Temperature -	30 to +250 °
Basic static load rating (C0)	4,75 kN
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.066
EAN	7316571552019
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No



## ASAHI BEARING FORGE DE CORP.

Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	17MM Bore; 40MM Outside Diameter; 12MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Fea
Other Features	Deep Groove   Extreme Temperature Variant
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	0.146
Outside Diameter	1.575 Inch   40 Millimeter
Bore	0.669 Inch   17 Millimeter
Outer Race Width	0.472 Inch   12 Millimeter
Inner Race Width	0 Inch   0 Millimeter
d <sub>1</sub>	24.5 mm
D <sub>2</sub>	34.98 mm
r <sub>1,2</sub> min.	0.6 mm
d <sub>a</sub> min.	21.2 mm
d <sub>a</sub> max.	24.4 mm
D <sub>a</sub> max.	35.8 mm



## ASAHI BEARING FORGE DE CORP.

$r_a$ max.	0.6 mm
Basic dynamic load rating C	9.95 kN
Basic static load rating $C_0$	4.75 kN
Limiting speed	150 r/min
Limiting temperature T max.	250 ° C
Mass bearing	0.068 kg